

Flush mount FutureCom™ Keystone Patch Panels 19" Black

CORNING

Part Number:
CAXXSV-02408-C002

The FutureCom™ patch panel is universally applicable for all 19" racks. This allows the free user-specific configuration of building and floor distributors.

The panel has a conductive front and integrated earthing or grounding points as well as two grounding lashes at the rear of the panel.

Features and Benefits

Universally applicable for all 19" rack

Suitable for all Keystone modules

Flush mount in the rack

Quick mount feature for easy one-person installation

Conductive front panel

Integrated cable strain relief

Two standardised grounding lashes for flat plugs

Integrated earthing points on the back side

Port numbering above and below ports

Space above ports can be used for customised labelling



FutureCom™ Keystone Patch panel 19 1U, angled, 24 ports, black

Flush mount FutureCom™ Keystone Patch Panels 19" Black



Specifications

Environmental Conditions

Environmental compatibility	Recyclable
-----------------------------	------------

Design

Housing material	Steel
Height Unit	1 U
Colour	Black
Number of ports	24

Mechanical Specifications

Cut Out	Keystone
Housing material	Steel

General Specifications

Product category	Core product / Fastship
Environment	Indoor
Halogen-free	Yes

Dimensions

Height	170 mm
Width	50 mm
Depth	530 mm

Ordering Information

Product Number	CAXXSV-02408-C002
----------------	-------------------

Flush mount FutureCom™ Keystone Patch Panels 19" Black



Ordering Information

EAN Code	4042673631033
Units per delivery	1/1

Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---



Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany
+00 800 2675 4641 • FAX: +49 30 5303 2335 • www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2021 Corning Optical Communications. All rights reserved.