

# Buffer Tube Fan-Out Kits, indoor 6 F, 635 mm legs

CORNING

**Part Number:**  
**FAN-BT25-06**

Corning indoor buffer tube fan-out kits are specifically designed for the termination of 6- and 12-fiber buffer tubes. These buffer tube fan-out kits provide the ultimate solution for those users who want to field-install connectors on 250  $\mu\text{m}$  coated fibers. The kits provide the most compact, easy-to-install fan-out solution requiring no additional hardware or space than that required for terminating tight-buffered cables. Indoor kits feature a 900  $\mu\text{m}$  fan-out assembly that is color coded to match the fiber color scheme. The fan-out assembly is available with 6- or 12-fiber units in lengths of 0.6 m (25 in) or 1.2 m (47 in). These different lengths provide the installer the flexibility needed for a variety of hardware options.

## Features and Benefits

**Snap-together furcation**


Eliminates epoxy for indoor kits

**Fibre routing capabilities**

Better fibre management

**Compensation for wide temperature fluctuation**

Outdoor use



# Buffer Tube Fan-Out Kits, indoor 6 F, 635 mm legs

CORNING

## Specifications

### Mechanical Specifications - Fan-Out Kit

Furcation length	44.5 mm
Tubing length	635 mm
Tubing outer diameter	0.9 mm

### Environmental Conditions

Temperature range, operation	0 °C to 70 °C
------------------------------	---------------

### Design

Fan-out tubing colour	Blue, orange, green, brown, grey, white
Fibres per buffer tube	6

### General Specifications

Product category	Core product
Product type	Fan-Out Kits
Fanout type	Buffer Tube

### Ordering Information

Product Number	FAN-BT25-06
EAN Code	4042673619406
Packaging	Individual Pack
Package contents	Fan-out top, fan-out bottom, insert with fan-out tubing
Units per delivery	1/1

# Buffer Tube Fan-Out Kits, indoor 6 F, 635 mm legs

CORNING

## Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---



Corning Optical Communications GmbH & Co. KG • Lelpziger Strasse 121 • 10117 Berlin, Germany  
+00 800 2675 4641 • FAX: +49 30 5303 2335 • [www.corning.com/opcomm/emea](http://www.corning.com/opcomm/emea)

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/emea/trademarks](http://www.corning.com/opcomm/emea/trademarks). Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2021 Corning Optical Communications. All rights reserved.